#### Impaired Driving Special IMPACT Study By David B. Brown (brown@cs.ua.edu) University of Alabama Center for Advanced Public Safety (CAPS) Data Comparisons: FY2017 vw FY2015-2016 December 15, 2017

For general information on Impaired Driving from NHTSA and other sources, please see: http://www.safehomealabama.gov/tag/impaired-driving/

### **Table of Contents**

Recommendations
Introduction5
Impaired Driving (ID) Update for FY20176
Overall Crashes by Year
Overall Severity Comparisons
Geographical Factors
County
Cities Over-represented by Twice the Expected Proportions11
Cities by Number of ID Crashes in FY2015-201713
Severity of Crash by Rural-Urban
Rural or Urban
Highway Classifications
Locale
Time Factors
Year
Month
Day of the Week
Time of Day
Time of Day by Day of the Week
Factors Affecting Severity
ID Crash Severity

Speed at Impact	
Severity by Impact Speed	
Severity of ID Crashes Comparing FY2016 vs FY2017	
Restraint Use by Impaired Drivers	
Fatality Crashes by Restraint Use for Impaired Drivers	
Number Injured (Including Fatalities)	
Police Arrival Delay	
EMS Arrival Delay	
Driver and Vehicle Demographics	
Driver Age	
Impaired Driver Gender	
Causal Vehicle Types with 30 or more Crashes	
Driver License Status	40
Driver Employment Status	
Summary of Findings	

# Recommendations

Based on this study, the following recommendations are made to reduce the frequency and severity of Impaired Driving (ID) crashes in Alabama. These are organized into the three areas of (1) law enforcement, (2) PI&E programs, and (3) legal and judicial countermeasures. The ordering of these either generally or within their respective categories is not at all meant to imply priority, since the prioritization and allocation of traffic safety resources is beyond the scope of this study. Please consider all of the following and validate them against the information presented in the special study:

- Law enforcement concentration and (re)direction:
  - There must be a recognition by law enforcement and the general public that the relatively high deadly combination in ID crashes is caused by their comparatively high impact speeds coupled with a failure of ID drivers and their passengers to use restraints. Seek out new ways to increase law enforcement methods to address these issues.
  - More effective drug detection techniques should be identified, and law enforcement officers need to be trained in their use.
  - Law enforcement training should focus on the concentration on the times of day, days of the week, and the particular over-represented vehicle types (e.g., pickups and motorcycles).
  - Training also needs to focus on the specific over-represented age groups and where these particular age groups tend to be driving in the over-represented times.
  - Increase law enforcement focus on interdicting pedestrians who are impaired, using whatever legal remedies might be currently available.
  - Counties with a combination of medium to large metropolitan areas and fairly large rural areas should generally be given additional emphasis in ID selective enforcement programs. These should be evaluated on a county-by-county basis taking the population and traffic volume rates into consideration. The rural areas of these counties should be given special consideration for enforcement, since that is where the maximum increases in fatalities have come from.
  - Additional analysis needs to be done to surface those county roads that are largely accounting for their double over-representation in crash frequency in order to increase law enforcement presence on these county roads. It appears that ID drivers may well be using the county roads as alternatives to avoid being apprehended.

- Additional emphasis needs to be given to days, such as Sunday, which behave as a "virtual Saturday" when the three-day holiday weekend includes Monday. Consideration should be given to the number of persons not working on a given day and thus might over-indulge the night (and early morning) before.
- Time for enforcement might be optimized by local culture, but for the average statewide picture, if workers are typically "off" the following day, the optimal times for enforcement would begin shortly after the afternoon rush hour and continue through at least 3 AM.

#### • Legal and judicial countermeasure development:

- Drug/Alcohol Diversion Programs should develop or adopt programs that concentrate on keeping the age 25 through 35 (typically social drinkers) from becoming habitual to the point where they become part of the 36-55 year old over-representation of predominantly problem users. The role that unemployment plays should be considered in formulating remedial measures.
- New legal countermeasures or existing laws need to be developed or implemented to counter impaired walking.
- Creative methods need to be implemented that recognize that, since drivers' license suspension and revocation has had no effect on some offenders, alternative judicial measures are required.
- Ideally, breath-alcohol ignition interlock devices could greatly reduce the problem caused by problem drinkers. An in-depth study needs to be conducted to determine what problems exist with the current program and how it can be expanded to be made more generally effective.

#### • PI&E information on ID content:

- ID related crashes continue to increase, and the general societal acceptance of certain recreational drugs is a significant part of the problem.
- Combinations of recreational or medical drugs and alcohol can be particularly lethal, and medical practitioners should warn against such problems and discourage all alcohol use for their patients who have this problem.
- Legalized recreational drugs are not a good alternative to alcohol use and should not be advertised as such.
- It would be extremely beneficial to promote social drinkers patronizing bars that are closer to their homes and in urban areas. Not only would this lower their speed at impact, but it would greatly reduce EMS delay times.
- Messages directed toward drinkers/users should concentrate on the use of a designated driver (i.e., do not drive with any impairment at all). A subtle message, without encouraging the impaired person to drive, might be to stress the characteristics of ID drivers to speed and fail to wear restraints. This might also provide additional motivation for the "friends do not let friends …" efforts.

• A new recognition needs to be developed to address "impaired and distracted walking" to counter the large increases recently experienced in pedestrian fatalities.

# Introduction

This document presents the results of a comparison of ID crashes compared to non-ID crashes over a recent three year period (FY2015-2017). An over-represented value of an attribute is a situation found where that attribute has a greater share of ID crashes than would be expected if it were the same as that same attribute in non-ID crashes. That is, the non-ID crashes are serving as a control to which the ID crashes are being compared. In this way anything different about ID crashes surfaces and can be subjected to further analyses.

[Fiscal years (FY) are defined to be the last three months of the previous calendar year coupled with the first 9 months of the nominal calendar year; for example, FY2017 consists of October-December of 2016 plus January-September of 2017.]

The analytical technique employed to generate most of the displays below is called Information Mining Performance Analysis Control Technique (IMPACT). For a detailed description of the meaning of each element of the IMPACT outputs, see:

http://www.caps.ua.edu/software/care/

The first section below will compare FY2017 ID crashes against FY2015-2016 ID crashes to determine any significant changes that have occurred in FY2017 from the previous two fiscal years. After this, the comparison between ID and non-ID crashes will be presented under the following headings:

- Geographic Factors
- Time Factors
- Factors Affecting Severity
- Driver and Vehicle Demographics

A summary of findings is given after these analyses are presented.

## **Impaired Driving (ID) Update for FY2017**

This section will compare ID crashes that occurred in FY2017 with those that occurred in the previous two fiscal years (FY2015-2016). The goal of this comparison is to surface factors that have undergone a significant change in the FY2017 time frame. A comparison by severity gives the highest level overview.

#### **Overall Crashes by Year**

Before getting into the ID subset, it is good to get a feel for the overall difference in the crash frequencies over the past fiscal years. The following table gives a monthly comparison of total crashes over the three fiscal years. Please realize that the October, November and December months are from the previous calendar years despite their being shown in the normal monthly sequence.

	•			
	FY2015	FY2016	FY2017	TOTAL
January	11362	12135	12251	35748
February	10939	12557	11878	35374
March	12295	13764	13497	39556
April	12836	13327	13115	39278
May	12525	12822	13857	39204
June	11201	12204	13522	36927
July	11963	12498	12096	36557
August	12698	13861	13275	39834
September	12333	12916	12540	37789
October	12403	14034	13647	40084
November	11755	13228	12938	37921
December	12554	14455	13625	40634
TOTAL	144864	157801	156241	458906
Percent	31.57%	34.39%	34.05%	100.00%


#### Crashes by Month for Fiscal Years 2015-2017

We conclude from considering the percentage numbers at the bottom of the table that FY2017 was not significantly different in total crashes from FY2016, there being only a 0.31% difference. However, it is clear from looking at the low percent in FY2015, as well as the numbers themselves, that there as a significant increase from FY2015 to FY2016. This reflects the general findings with regard to dramatic increase in CY2016, and it does not appear that there has

been a large regression to the mean in the first 9 months of CY2017 to overcome this increase. With regard to interpreting the remainder of the findings, we should view FY2017 as quite comparable in number to FY2016, and thus, retaining the increase over FY2015. However, we shall see that the frequency of fatal crashes was significantly lower in FY2017, and that a major factor in this reduction was the reduction in the ID fatal crashes.

#### **Overall Severity Comparisons**

The following presents a comparison of the severities of crashes in FY2017 against those of FY2015-2016. In the table above the chart the Subset Frequency and Percent is for FY2017, which the Other Frequency and Percent is for the previous two fiscal years, and thus the order of magnitude of the frequencies is about double that of FY2017. Comparisons must be against the percentages to determine if there is a trend direction being set in increased or decreased severity for these crashes.



The increase in the proportion of the number of fatal injuries (0.03%) is not significant recognizing that the comparisons take into account the differences in overall crashes. It is a 4.5% increase in the proportions, which are quite small for the overall fatality crash rate per crash. The difference in the average of the two before years is 853.5, which makes a difference in FY2017 of an increase of 67.5 fatal crashes.

In the other injury severities, there is a significant decrease in the Incapacitating Injury and a significant increase in the Possible Injury. This difference tends to balance out the increase in the fatal crashes, since quite often the characteristics of an incapacitating injury crash are not at all different from that crash being fatal. Thus, this reduction should be seen as quite favorable. The difference in Non-Incapacitating Injury is not seen to be significant.

Considering fatal crashes by individual years, the totals for the three years are given in the table below for all crashes and for ID crashes.

	FY2015	FY2016	% Over FY2015	FY2017	% Over FY2016
<b>All Fatal Crashes</b>	766	941	22.8%	921	-2.1%
<b>ID Fatal Crashes</b>	207	226	9.2%	188	-16.8%
ID % of all Fatal	27.0%	24.0%	-	20.4%	-

Clearly there is a significant trend away from reported ID being the cause of fatal crashes. This should be taken into consideration in the interpretation of the findings regarding the various attributes that are given in the remainder of this problem identification. The increase in overall fatalities from FY2015 to FY2016 was 22.8%, and this decrease was only 2.1% in FY2017. Similarly, the ID fatal crashes had a 9.2% increase and a 1.7% decrease.

# **Geographical Factors**

### County

E	ile <u>D</u> ashboard <u>F</u> ilters	<u>Analysis</u> Impact	t <u>L</u> ocations	<u>T</u> ools <u>W</u> in	idow <u>H</u> elp			- 1
	2014-2017 Alabama Integrated (	Crash Data	~	FY2015-20	017 AND DUI		~	¶ 1/ 1/2014 ∨ 10/16/2017 ∨
der	: Max Gain 🗸 Des	cending v	Suppress	Zero-Valued Ro	ws		Significance: Ove	er Representation V Threshold: 2.0
01	County	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain 🔻 🖍	C001: County C002: City
	Cullman	524	2.86	6718	1.52	1.873*	244.182	C003: Year
	Madison	1608	8.76	33446	7.59	1.154*	214.910	C004: Month
	Baldwin	847	4.62	15209	3.45	1.337*	213.516	C005: Day of Month
	Marshall	441	2.40	7157	1.62	1.479*	142.897	C006: Day of the Week C007: Week of the Year
	Blount	239	1.30	2472	0.56	2.321*	136.036	C008: Time of Day
	Talladega	337	1.84	5333	1.21	1.517*	114.870	C009: Data Source
	Jackson	233	1.27	2962	0.67	1.889*	109.627	C010: Rural or Urban
	St Clair	342	1.86	5686	1.29	1.444*	105.167	C011: Highway Classifications C012: Controlled Access
	Elmore	330	1.80	5572	1.26	1.422*	97.916	C012: Controlled Access C013: E Highway Side
	Lauderdale	373	2.03	6611	1.50	1.355*	97.639	C015: Primary Contributing Circumsta
	Limestone	288	1.57	4689	1.06	1.475*	92.694	C016: Primary Contributing Unit Numb
	Chilton	207	1.13	2884	0.65	1.723*	86.876	C017: First Harmful Event
	Dekalb	231	1.26	3554	0.81	1.560*	82.969	C018: Location First Harmful Event Re C019: E Most Harmful Event
	Walker	274	1.49	4630	1.05	1.421*	81.152	C020: E Distracted Driving Opinion
	Escambia	166	0.90	2337	0.53	1.705*	68,659	C021: Distance to Fixed Object
	Tallapoosa	145	0.79	1956	0.44	1.780*	63.529	C022: E Type of Roadway Junction/Fea
	Geneva	113	0.62	1191	0.27	2.278*	63.393	C023: E Manner of Crash
	Dale	168	0.92	2593	0.59	1.556*	59.997	C024: School Bus Related C025: Crash Severity
	Pike	191	1.04	3158	0.72	1.452*	59.463	C026: Intersection Related
	Franklin	122	0.66	1584	0.36	1.849*	56.023	C027: At Intersection
	Lowndes	93	0.51	914	0.21	2.443*	54.930	C028: Mileposted Route
	Morgan	439	2.39	9221	2.09	1.143*	54.928	C029: Lighting Conditions
	Covington	133	0.72	1886	0.43	1.693*	54.444	C030: Weather C031: Locale
	Macon	135	0.72	1970	0.45	1.645*	52.946	C032: E Police Present at Time of Cras
	Colbert	256	1.40	4935	1.12	1.245*	50 448	C033: Police Notification Delay
	Lawrence	109	0.59	1443	0.33	1.814*	48.896	C034: Police Arrival Delay
	Coffee	103	1.05	3514	0.80	1.312*	45.635	C035: EMS Arrival Delay C036: Adjusted EMS Arrival Delay
	Monroe	83	0.45	931	0.00	2.140*	44.222	C030. Adjusted EMS Arrival Delay C037: Non-Vehicular Property Damage
	Conecuh	88	0.48	1073	0.24	1.969*	43.307	C040: Agency ORI
	Choctaw	61	0.40	500	0.24	2.929*	40.174	C042: Highway Patrol Troops
	Crenshaw	69	0.33	729	0.17	2.323	38.636	C043: Highway Patrol Posts
	Bibb	76	0.30	970	0.17	1.881*	35.598	C044: ALEA Division C045: ALDOT Area
	Marion	97	0.41	1492	0.22	1.561*	34.855	C045. ALDOT Area C046: ALDOT Region
	Wilcox	50	0.53	422	0.34	2.845*	34.800	Sort by Sum of Max Gain

The above has been arranged in highest Max Gain order to indicate the counties that have the highest potential for gain (by reducing the over-representation) at the top. The following output is the rest of the counties in the ordering, so it contains those that are under-represented.

Ē	le <u>D</u> ashboard <u>Filters</u> <u>A</u> 2014-2017 Alabama Integrated Cra	nalysis <u>I</u> mpact	<u>L</u> ocations		dow <u>H</u> elp			- E
der	Max Gain V Desce		1	Zero-Valued Ro			Significance: Over	Representation V Threshold: 2.0
001	County	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain 👻 ^	C001: County C002: City
	Wilcox	50	0.27	422	0.10	2.845*	32.423	C002: City C003: Year
	Clarke	89	0.49	1361	0.31	1.570*	32.312	C004: Month
	Dallas	152	0.83	2915	0.66	1.252*	30.585	C005: Day of Month
	Pickens	62	0.34	809	0.18	1.840*	28.304	C006: Day of the Week
	Coosa	54	0.29	675	0.15	1.921*	25.885	C007: Week of the Year C008: Time of Day
	Washington	49	0.27	569	0.13	2.068*	25.300	C009: Data Source
	Calhoun	470	2.56	10687	2.43	1.056	24.866	C010: Rural or Urban
	Autauga	188	1.02	3946	0.90	1.144	23.642	C011: Highway Classifications
	Lamar	42	0.23	476	0.00	2.118*	22.174	C012: Controlled Access
	Butler	103	0.25	1946	0.11	1.271*	22.174	C013: E Highway Side C015: Primary Contributing Circumstar
	Bullock	44	0.38	570	0.44	1.853*	20.258	C016: Primary Contributing Unit Number
	Hale	55	0.24	855	0.13	1.605	19.388	C017: First Harmful Event
								C018: Location First Harmful Event Rel
	Henry	52	0.28	806	0.18	1.549*	18.429	C019: E Most Harmful Event
	Winston	54	0.29	860	0.20	1.508*	18.179	C020: E Distracted Driving Opinion C021: Distance to Fixed Object C022: E Type of Roadway Junction/Featu C023: E Manner of Crash
	Репу	30	0.16	302	0.07	2.385*	17.421	
	Barbour	86	0.47	1656	0.38	1.247	17.024	
	Cherokee	73	0.40	1470	0.33	1.192	11.772	C024: School Bus Related
	Greene	48	0.26	887	0.20	1.299	11.055	C025: Crash Severity
	Clebume	63	0.34	1260	0.29	1.200	10.519	C026: Intersection Related
	Sumter	43	0.23	799	0.18	1.292	9.720	C027: At Intersection C028: Mileposted Route
	Marengo	49	0.27	973	0.22	1.209	8.473	C029: Lighting Conditions
	Houston	451	2.46	10659	2.42	1.016	7.032	C030: Weather
	Randolph	47	0.26	974	0.22	1.159	6.431	C031: Locale
	Fayette	39	0.21	790	0.18	1.185	6.095	C032: E Police Present at Time of Cras
	Clay	28	0.15	548	0.12	1.227	5.175	C033: Police Notification Delay
	Tuscaloosa	1012	5.51	24195	5.49	1.004	4.232	C034: Police Arrival Delay C035: EMS Arrival Delay
	Etowah	392	2.14	9553	2.17	0.985	-5.901	C036: Adjusted EMS Arrival Delay
	Chambers	93	0.51	2538	0.58	0.880	-12.713	C037: Non-Vehicular Property Damage
	Russell	284	1.55	7797	1.77	0.874	-40.760	C040: Agency ORI
	Lee	591	3.22	15432	3.50	0.919	-51.772	C042: Highway Patrol Troops
	Shelby	536	2.92	18118	4.11	0.710*	-218.649	C043: Highway Patrol Posts C044: ALEA Division
	Montgomery	689	3.75	29355	6.66	0.564*	-533.692	C044: ALEA DIVISION C045: ALDOT Area
	Mobile	1347	7.34	45905	10.42	0.704*	-565.031	C046: ALDOT Region
	Jefferson	1975	10.76	91128	20.68	0.520*	-1820.655	Sort by Sum of Max Gain

Cullman, Madison, Baldwin, Marshall and Blount have the highest potential for ID crash reduction. At the other end of the spectrum, the counties with the largest cities (e.g., Jefferson, Mobile and Montgomery counties) were the most under-represented counties for impaired driving crashes. Generally, the over-represented counties contain larger rural areas. See the rural-urban comparison below.

### **Cities Over-represented by Twice the Expected Proportions**

For comparison purposes, the rural areas of counties are considered to be "virtual cities" in that crashes that occur there are listed as "Rural County" so that these crashes can be duly accounted for. Generally those rural areas that are adjacent to (or contain) significant urban areas. Contrasted with this finding, there was significant under-representation for impaired driving crashes in the largest cities themselves (e.g., Birmingham, Mobile, Montgomery, Huntsville, Tuscaloosa, etc.). This can be attributed to a number of possible factors in urban areas:

- Less need for motor vehicle travel to the drinking establishments;
- Larger police presence in the metropolitan areas; and
- Lower speeds in rural areas result in a lower severity of crashes, which may be less apt to be reported as caused by impaired driving. Urban crashes contain many described as fender-benders or low-speed rear-end bumper crashes.

The output display below is a list of what are considered to be the most critical cities because of their proportional increases in FY2017 over that occurring in FY2015-2016. The criteria for this list was (1) a total of 100 or more ID crashes in FY2015-2017, and (2) at least twice the expected proportion in the original state-wide IMPACT run. Note that the reduced IMPACT run displayed is a comparison of only the cities shown, so the Odds Ratios do not show the original over-representations, all of which were over 2.00. This display has been placed in Max Gain ordering to put those cities that have the highest potential for ID crash reduction at the top; however, since the original comparison showed all of these (virtual) cities to have an Odds Ratio of greater than 2.00, they should all be of comparable potential for reduction.

80	CARE 10.1.0.19	9 - [IMI	PACT Resu	llts - 2014	-2017 Ala	abama Int	egrated C	rash Data	- FY2015-	201 — 🗖	×
۶	<u>F</u> ile <u>D</u> ashboard	<u>F</u> ilters	<u>A</u> nalysis <u>I</u> n	npact <u>L</u> ocat	ions <u>T</u> ools	<u>W</u> indow	<u>H</u> elp				_ 8 ×
<b>6</b> 8	2014-2017 Alabama	a Integrated	l Crash Data	~	۲. FY	2015-2017 AND	DUI		✓	1/ 1/201	4 v 10/16/2
Orc	der: Max Gain	y De	escending	Y V Sup	press Zero-Val	ued Rows	Signif	ficance: Over f	Representation	✓ Threshold:	2.0 🚖
CO	02: City		Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain	C002: City		
	Rural Cullman		388	11.70	2965	9.25	1.264*	81.062			
	Rural Blount		201	6.06	1492	4.66	1.301*	46.548			
	Rural Houston		169	5.09	1271	3.97	1.284*	37.426			
	Rural Coffee		105	3.17	827	2.58	1.226	19.389			
	Rural Colbert		126	3.80	1074	3.35	1.133	14.819			
	Rural Pike		100	3.01	851	2.66	1.135	11.904			
	Rural Elmore		186	5.61	1710	5.34	1.051	8.980			
	Rural Marshall		166	5.00	1528	4.77	1.049	7.821			
	Rural Dekalb		131	3.95	1216	3.80	1.041	5.119			
	Rural Escambia		114	3.44	1099	3.43	1.002	0.231			
	Rural Lauderdale		161	4.85	1671	5.22	0.931	-11.983			
	Rural Chilton		144	4.34	1530	4.77	0.909	-14.386			
	Rural Autauga		119	3.59	1305	4.07	0.881	-16.094			
	Rural Etowah		119	3.59	1395	4.35	0.824	-25.411			
	Rural Lee		194	5.85	2179	6.80	0.860	-31.571			
	Rural Talladega		201	6.06	2325	7.26	0.835*	-39.685			
	Rural Limestone		215	6.48	2465	7.69	0.843*	-40.178			
	Rural Madison		478	14.41	5139	16.04	0.899*	-53.991	Sort by Sum	of Max Gain	
	🕼 🗞 🖉 📄									[	Display Fil
				:	2014-2017 Alab	ama Integrated	Crash Data				
						C002: City					
	20										
	2.0										
	15										
	<u>ک</u>										
	Leduency										
					-						
	5				_						
	0										
	0		F	Rural Colbert		Rural Es	scambia		Rural Lee		
						C002: Ci	ty				

# Cities by Number of ID Crashes in FY2015-2017

1	ile <u>Dashboard</u> Filters <u>A</u> 2014-2017 Alabama Integrated Cr		t <u>L</u> ocations		dow <u>H</u> elp			- 5
	2014-2017 Alabama Integrated Cr	ash Data	×	FT2010-20	JT7 AND DUI		•	1/ 1/2014 0 10/10/2017 0
de	r: Subset Frequency V Desce	ending v	Suppress	Zero-Valued Ro	ws		Significance: Over	Representation v Threshold: 2.0
02	: City	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain	C001: County C002: City
	Huntsville	965	5.26	24708	5.61	0.938	-64.285	C003: Year
	Birmingham	783	4.27	50878	11.55	0.369*	-1336.474	C004: Month
	Mobile	618	3.37	34637	7.86	0.428*	-824.907	C005: Day of Month C006: Day of the Week
	Montgomery	520	2.83	26946	6.12	0.463*	-602.515	C008. Day of the Week C007: Week of the Year
	Rural Madison	478	2.61	5139	1.17	2.233*	263.920	C008: Time of Day
	Rural Mobile	472	2.57	5725	1.30	1.979*	233.508	C009: Data Source
	Tuscaloosa	457	2.49	15187	3.45	0.722*	-175.659	C010: Rural or Urban
	Rural Tuscaloosa	413	2.25	5080	1.15	1.952*	201.378	C011: Highway Classifications C012: Controlled Access
	Rural Cullman	388	2.11	2965	0.67	3.141*	264.484	C013: E Highway Side
	Rural Baldwin	296	1.61	3739	0.85	1.900*	140.241	C015: Primary Contributing Circumstan
	Rural Jefferson	291	1.59	9039	2.05	0.773*	-85.546	C016: Primary Contributing Unit Number
	Hoover	257	1.40	9309	2.11	0.663*	-130.794	C017: First Harmful Event C018: Location First Harmful Event Rel
	Decatur	246	1.34	5750	1.31	1.027	6.467	C019: E Most Harmful Event
	Dothan	240	1.31	8901	2.02	0.647*	-130.798	C020: E Distracted Driving Opinion
	Rural Limestone	215	1.17	2465	0.56	2.094*	112.313	C021: Distance to Fixed Object
	Aubum	207	1.13	5838	1.33	0.851	-36.199	C022: E Type of Roadway Junction/Fea C023: E Manner of Crash
	Rural Blount	201	1.10	1492	0.34	3.234*	138.846	C024: School Bus Related
	Rural Talladega	201	1.10	2325	0.53	2.075*	104.145	C025: Crash Severity
	Rural Lee	194	1.06	2179	0.49	2.137*	103.227	Sort by Sum of Max Gain

The following display gives the cities with over 200 ID crashes in FY2015-2017

Huntsville, at the top of the list, is interesting in that it also has a relatively high proportion of non-ID crashes (5.61%). And while it is at the top of the list for frequency, it is slightly under-represented in ID crashes (5.26/5.61=0.938). The three largest cities that follow are shown with a green background in that their Odds Ratios are less than 0.500, i.e., they have less than half of the ID crashes that you would expect from the proportion of non-ID crashes.

Use the Odds Ratio to determine which of these cities has more ID crashes (labeled Subset) than would be expected based on their non-ID crashes (labeled Other). The red background indicates that the cell has over twice the expected number of ID crashes.

The following lists cities with 100-200 ID crashes, where some overlap with the other tables is
shown in the first and last cells.

2014-2017 Alabama Integrated	Crash Data	~	FY2015-2	017 AND DUI		v *	7     7     7     1/ 1/2014 ∨ 10/16/2017 ∨
er: Subset Frequency V Des	scending v	Suppress	Zero-Valued Ro	ws		Significance: Over	Representation V Threshold: 2.0
)2: City value	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain	C001: County C002: City
Rural Talladega	201	1.10	2325	0.53	2.075*	104.145	C003: Year
Rural Lee	194	1.06	2179	0.49	2.137*	103.227	C004: Month
Rural Calhoun	193	1.05	2839	0.64	1.632*	74.733	C005: Day of Month C006: Day of the Week
Florence	191	1.04	4361	0.99	1.051	9.330	C007: Week of the Year
Bessemer	190	1.04	4899	1.11	0.931	-14.082	C008: Time of Day
Phenix City	190	1.04	6328	1.44	0.721*	-73.612	C009: Data Source
Rural Elmore	186	1.01	1710	0.39	2.611*	114.765	C010: Rural or Urban
Rural Houston	169	0.92	1271	0.29	3.192*	116.053	C011: Highway Classifications
Opelika	167	0.91	7056	1.60	0.568*	-126.939	C012: Controlled Access C013: E Highway Side
Rural St. Clair	167	0.91	2142	0.49	1.872*	77,769	C015: Primary Contributing Circumsta
Rural Marshall	166	0.90	1528	0.35	2.608*	102.347	C016: Primary Contributing Unit Numt C017: First Harmful Event C018: Location First Harmful Event Re C019: E Most Harmful Event C020: E Distracted Driving Opinion C021: Distance to Fixed Object
Rural Lauderdale	161	0.88	1671	0.38	2.313*	91.390	
Rural Montgomery	160	0.87	2281	0.52	1.684*	64.978	
Rural Walker	156	0.85	1931	0.44	1.939*	75.558	
Madison	155	0.84	3653	0.83	1.019	2.823	
Anniston	150	0.82	3770	0.86	0.955	-7.051	C022: E Type of Roadway Junction/Fe
Rural Chilton	144	0.78	1530	0.35	2.259*	80.263	C023: E Manner of Crash
Rural Morgan	139	0.76	1952	0.44	1.709*	57.684	C024: School Bus Related
Rural Shelby	132	0.72	4111	0.93	0.771*	-39.256	C025: Crash Severity C026: Intersection Related
Rural Dekalb	132	0.72	1216	0.33	2.586*	80.344	C027: At Intersection
Gadsden	129	0.70	5296	1.20	0.585*	-91.621	C028: Mileposted Route
Prichard	125	0.70	2486	0.56	1.217	22.438	C029: Lighting Conditions
Rural Colbert	126	0.69	1074	0.38	2.816*	81,259	C030: Weather C031: Locale
Rural Autauga	120	0.65	1074	0.24	2.016	64.636	C031: Locale C032: E Police Present at Time of Cra
Rural Etowah	119	0.65	1305	0.30	2.189	60.887	C033: Police Notification Delay
	115	0.63	3457	0.32	0.799*	-29.012	C034: Police Arrival Delay
Northport Rural Escambia		0.63	3457		2.490*	-29.012	C035: EMS Arrival Delay
	114			0.25			C036: Adjusted EMS Arrival Delay
Albertville	110	0.60	2393	0.54	1.103	10.312	C037: Non-Vehicular Property Damag C040: Agency ORI
Rural Coffee	105	0.57	827	0.19	3.048*	70.549	C042: Highway Patrol Troops
Rural Pike	100 97	0.55	851 2710	0.19	2.821* 0.859	-15.893	C043: Highway Patrol Posts

<u>File Dashboard Filters</u>	<u>A</u> nalysis <u>I</u> mpact	t <u>L</u> ocations	<u>T</u> ools <u>W</u> in	dow <u>H</u> elp			-
2014-2017 Alabama Integrate	ed Crash Data	~	FY2015-20	17 AND DUI			
er: Subset Frequency 🗸 🗸	)escending 🗸 🗸	Suppress	Zero-Valued Ro	ws	[	Significance: Over	Representation V Threshold: 2.0
2: City	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain	C001: County C002: City
Rural Pike	100	0.55	851	0.19	2.821*	64.549	C003: Year
Daphne	97	0.53	2710	0.62	0.859	-15.893	C004: Month
Alabaster	96	0.52	3133	0.71	0.736*	-34.514	C005: Day of Month
Foley	96	0.52	2386	0.54	0.966	-3.396	C006: Day of the Week C007: Week of the Year
Rural Russell	94	0.51	1579	0.36	1.429*	28.222	C008: Time of Day
Gulf Shores	93	0.51	1759	0.40	1.269	19.724	C009: Data Source
Scottsboro	90	0.49	1561	0.35	1.384*	24.972	C010: Rural or Urban
Rural Jackson	87	0.47	865	0.20	2.414*	50.966	C011: Highway Classifications
Rural Lawrence	87	0.47	1027	0.23	2.034*	44.217	C012: Controlled Access C013: E Highway Side
Rural Macon	86	0.47	1347	0.31	1.533*	29.887	C015: Primary Contributing Circums
Troy	83	0.45	2110	0.48	0.944	-4.898	C016: Primary Contributing Unit Nun
Orange Beach	81	0.43	952	0.22	2.042*	41.342	C017: First Harmful Event
Enterprise	80	0.44	2506	0.57	0.766*	-24.395	C018: Location First Harmful Event F
Rural Dallas	80	0.44	1117	0.37	1.719*	33.468	C019: E Most Harmful Event
Cullman	79	0.44	2849	0.25	0.666*	-39.684	C020: E Distracted Driving Opinion C021: Distance to Fixed Object
							C022: E Type of Roadway Junction/F
Jasper	78	0.43	2002	0.45	0.935	-5.399	C023: E Manner of Crash
Rural Lowndes	78	0.43	818	0.19	2.289*	43.924	C024: School Bus Related
Homewood	77	0.42	4976	1.13	0.371*	-130.290	C025: Crash Severity
Rural Geneva	77	0.42	597	0.14	3.096*	52.130	C026: Intersection Related C027: At Intersection
Guntersville	76	0.41	1481	0.34	1.232	14.305	C027: Al Intersection C028: Mileposted Route
Prattville	76	0.41	3171	0.72	0.575*	-56.097	C029: Lighting Conditions
Pelham	75	0.41	3689	0.84	0.488*	-78.676	C030: Weather
Rural Butler	74	0.40	1007	0.23	1.764*	32.050	C031: Locale
Rural Franklin	74	0.40	675	0.15	2.632*	45.881	C032: E Police Present at Time of Cr
Oxford	73	0.40	2658	0.60	0.659*	-37.727	C033: Police Notification Delay C034: Police Arrival Delay
Rural Dale	67	0.37	667	0.15	2.411*	39.214	C034. Police Arrival Delay C035: EMS Arrival Delay
Selma	67	0.37	1744	0.40	0.922	-5.651	C036: Adjusted EMS Arrival Delay
Trussville	66	0.36	2710	0.62	0.585*	-46.893	C037: Non-Vehicular Property Dama
Boaz	65	0.35	1149	0.26	1.358*	17.135	C040: Agency ORI
Rural Covington	65	0.35	665	0.15	2.346*	37.297	C042: Highway Patrol Troops
Fairhope	63	0.34	1510	0.34	1.002	0.096	C043: Highway Patrol Posts C044: ALEA Division
Rural Conecuh	62	0.34	715	0.16	2.082*	32.215	C045: ALDOT Area
Rural Tallapoosa	61	0.33	558	0.13	2.624*	37.755	C046: ALDOT Region
Rural Crenshaw	59	0.32	442	0.10	3.204*	40.587	C047: ADECAAHSO Region

The following lists cities with 60-100 ID crashes, where some overlap with the other tables is shown in the first and last cells.

#### Severity of Crash by Rural-Urban

It is obvious in the above outputs that the rural areas tend to be more over-represented in ID crashes than do the urbanized areas. It is interesting to perform a cross-tabulation over the rural and urban areas to determine to what extent their crashes might be causing relatively more fatalities than would be expected from just a comparison of their crash frequencies. The following gives this analysis.

CARE 1	0.1.0.19 - [Cro	sstab Results	- 2014-2017	Alabama Int	egrated Cras	h Data - Filte	e — 🗖	x		
🚦 <u>F</u> ile <u>D</u>	ashboard <u>F</u> ilters	<u>A</u> nalysis <u>C</u> rossta	b <u>L</u> ocations <u>T</u>	ools <u>W</u> indow	<u>H</u> elp		-	ðΧ		
2014-20	)17 Alabama Integrated	Crash Data	~	FY2015-2017 AND I	DUI	Ý	💡 🌇 1/ 1	1/2014		
Suppress Zer	Suppress Zero Values: None 🗸 Select Cells: 🛋 🗸 🥵 🌱 Column: Crash Severity ; Row: Rural or Urban 👰									
	Fatal Injury	Incapacitating Injury	Non- Incapacitating Inju	Possible Injury	Property Damage Only	Unknown	TOTAL			
Rural	415 66.94%	1330 61.38%	1512 49.19%	429 25.58%	3969 38.31%	77 17.04%	7732 42.14%			
Urban	205 33.06%	837 38.62%	1562 50.81%	1248 74.42%	6391 61.69%	375 82.96%	10618 57.86%			
TOTAL	620 3.38%	2167 11.81%	3074 16.75%	1677 9.14%	10360 56.46%	452 2.46%	18350 100.00%			
								-		

The red cells in the cross-tabulation above indicate over-representation by more than 10%. For example, while 42.14% of crashes occur in rural areas, close to 67% of the fatal crashes occur there. It is imperative to take into consideration crash severity when making geographical decisions regarding countermeasure implementation. Any of the geographic analyses shown in this report could be restricted to fatal crashes or some combination of fatal and injury crashes.


Clearly fatalities and the highest severity of injuries are over-represented in the rural areas.

Some recent ads have stated that the urban areas contain the ID hotspots. This is only true if looking at the total frequency of the ID crashes as the criterion and ignoring severity. It also ignores the high number of crashes in general that are expected to occur in population centers.

### **Rural or Urban**

CA		. <b>1.0.19</b> hboard		PACT R <u>A</u> nalysis			7 Alabama Tools Windo	-	l Crash Dat	ta - FY2015	-2017 AN	d d 🗕 🗖	
-	_		_	d Crash Data		<u>L</u> ocations	FY2015-201			v 9	P 🌠 1/ 1	/2014 v 10/16/201	_ ⊡ × 7 ∨ 🕽 🌖
Order:	Max Gair	ı	√ De	escending	¥	Suppress Z	ero-Valued Row	\$	Sig	nificance: Over	Representation	✓ Threshold:	2.0 🜲
C010:	Rural or	Urban			Subset uency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain 📼	C009: Data S C010: Rural		^
•	Rural Urban				7732 10618	42.14 57.86	94476 346080	21.44 78.56	1.965* 0.737*	3796.894 -3796.894	C011: Highw		~
0	🗞 y	8										Display Filter	Name
2014-2017 Alabama Integrated Crash Data - Filter = FY2015-2017 AND DUI vs. FY2015-2017 AND NOT DUI C010: Rural or Urban													
							C010: Ru	ral or Urban					

Not only are impaired driving crashes more severe in rural areas, but the chart above shows that 42.14% of the ID crashes occur in the rural areas. This is about double what would be expected from the rural crashes in general (21.44%).



### **Highway Classifications**


Analysis of highway classifications indicates that ID crashes had their greatest over-representation on county roads. County roads had well over twice their expected proportion of crashes, while all other roadway classifications were under-represented. It is very possible that ID locals in the rural areas use the county road system to evade police. Their cunning in this regard does not seem to extend to making it home safely. It is recommended that further analysis be performed to identify the specific county roads that are most highly over-represented, and that some enforcement activities be conducted on the county roads in an attempt to move the ID traffic onto the safer (more forgiving) roadways.

	ARE 10.1.0.19 - [IMPA0 <u>File D</u> ashboard <u>Filters A</u> n					Crash Dat	a - FY2015	5-2017 AND D — 🗖 🗙
<b>6</b> 2	2014-2017 Alabama Integrated Cra	sh Data	~	FY2015-2017	7 AND DUI		¥ §	P 🋐 1/ 1/2014 🗸 10/16/2017 🗸 🕽 🌑
Orde	er: Max Gain 🗸 Descer	nding v	Suppress Z	ero-Valued Rows	\$	Sig	nificance: Over	Representation v Threshold: 2.0 🖨
C03	1: Locale	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain 🔻	C025: Crash Severity C026: Intersection Related
	Open Country	8365	45.59	118151	26.83	1.700*	3443.115	C027: At Intersection
	Residential	4924	26.84	90579	20.57	1.305*	1150.698	C028: Mileposted Route
	Playground	7	0.04	152	0.03	1.106	0.668	C029: Lighting Conditions C030: Weather
•	Other	127	0.69	4321	0.98	0.706*	-53.002	C031: Locale
	Manufacturing or Industrial	219	1.19	8204	1.86	0.641*	-122.759	C032: E Police Present at Time of Crash
	School	146	0.80	7087	1.61	0.495*	-149.227	C033: Police Notification Delay
	Shopping or Business	4559	24.85	211930	48.12	0.516*	-4269.492	Sort by Sum of Max Gain
	60 40 50 10 10 10 10 10 10 10 10 10 10 10 10 10	Ļ						
	0 Open C	ountry Resi	dential P	Yayground (	Other C031: Locale	Manufacturing or Industrial	School	Shopping or Business

Reflecting the urban over-representation, open country and residential roadways show a higher level of over-representation as compared to the more urbanized roadways.

# **Time Factors**

## Year




See the Introduction section for a crash frequency comparison of the three fiscal years being considered in these analyses. While the above cannot give a good reading on the overall absolute increase/decrease in ID crashes, it is useful for tracking the relative changes. This is because the 2014 calendar year is only three months (October-December), while the 2017 calendar year displayed is only 9 months (January-September).

However, this does not prevent us from discovering that ID crashes were significantly over-represented in CY2015. The two were almost as expected in the last three months of 2014. In CY2015 the proportion of ID crashes was significantly higher than that for non-ID crashes. This trend was reversed for CY 2016 where almost the opposite under-representation occurred. This gain continued into the first nine months of 2017, and a benefit of nearly 429 crashes was obtained for ID in comparison to the non-ID crash proportion.


This is a good time to emphasize that the ID reports being considered here are those reported to have been DUI (Alcohol or Drugs), which is about 6% of the total reported crashes. While this is an accurate statement of the number reported as such, no one claims that this is the actual number of ID crashes. Many ID caused crashes cannot be verified, and they are therefore not reported as such. These reports over time provide excellent insight into the nature of ID crashes despite their not being a complete set of ID reports. As the severity of the crashes increases, the completeness of the reports in attributing them to ID also increased dramatically. For example, the amount of effort that goes into investigating a fatal crash is at least 10 to 20 times more effort than goes into reporting and obtaining all of the details of most property damage only crashes.

#### Month



The only significant over-representations by month were in February and March, and there we no significant under-representations. Otherwise the number of ID crashes correlated well with non-ID crashes during each of the remaining months.

### Day of the Week



The chart above shows the typical non-holiday week pattern that has been experienced for ID for decades. The days can be classified as follows:

- Weekday (Monday through Thursday) these days are under-represented in ID crashes we would surmise due to the need for many to go to work the following day.
- Friday the day before a weekend (or holiday) before a day off work. The Friday pattern is slightly under-represented in ID crashes, not because they do not occur more frequently than weekdays, but because non-ID crashes occur even more. This is due to the increased traffic of combined commuters and vacationers (including short week-end vacations) that causes a bad traffic mix. It may be only slightly denser than a typical rush hour, but it is not homogeneous and restricted to commuters as is the case during most

weekday rush hours. No doubt much drug use and increased alcohol consumption is initiated on Friday afternoons.

- Saturday the "Saturday" pattern is the worse for ID crashes in that it has both an early morning component (like Sunday) and a late (pre-midnight) night component (like Friday). So, it could be viewed as a combination of the typical Friday and Sunday, with one exception. It does not have the increased complexity of the Friday afternoon commuters.
- Sunday this is the last day of a holiday sequence or as given above, the weekend. Its over-representation comes strictly from those who start on Saturday night and do not complete their use of alcohol/drugs until after midnight.

A holiday "weekend," such as Thanksgiving, can be viewed as a sequence of a Friday-, Saturdays- and Sunday-pattern sequence. The Wednesday before Thanksgiving would follow the Friday pattern assuming that most are at work that Wednesday. The Thursday, Friday and Saturday would follow the Saturday pattern, and the Sunday would follow the typical Sunday pattern. Holidays that fall mid-week could also be so mapped. This is the reason that long holiday events (i.e., several days off from work) can be much more prone to ID crashes than the normal weekend. There could be a cumulative effect that could show up at any time of the day for some problem abusers. Recently the trend on the pre-Thanksgiving week has been for the holiday to start earlier and earlier in the week, so that Wednesday itself is not one of the worse crash days of the year, as it had been a decade or more ago. This if favorable in reducing the concentration of the traffic and the resultant conflicts.

#### **Time of Day**

It is no surprise to find ID crashes over-represented during the late night/early morning hours. The extent of these over-representations, however, is quite amazing. The blue bars above follow the typical traffic patterns of high traffic in the morning and afternoon rush hours. ID crashes are just getting started in the afternoon rush hours and they continue to grow through midnight and the early morning hours, not tapering off until about 5:00 AM. It is clear that if selective enforcement is going to have an effect on ID crashes, it would have to be conducted at the times when these crashes are most occurring. Optimal times for enforcement would start immediately following any rush hour details, and would continue through at least 3:00 AM.

So generally, the worst times in any day are given in red for that day. This works well for Saturday and Sunday mornings, and also for Friday night. Why does it not work for Saturday night? The answer is that Saturday morning has drained all the red into its cells, so to speak, and there is none left over for Saturday night. Note, for example, that the frequencies of crashes on Saturday exceed those on Friday for *all time slots*. However, because of the high numbers and proportions on Saturday morning, the proportions on Saturday night are lower despite the frequencies being higher. We urge users to look at both the numbers and the colors. This is also especially true when the numbers in all of the cells is relatively low. When the cell numbers get less than 20, it is best to ignore the colors and just look at the cell frequencies to get a feel for the situation.

CA	ARE 10.1.0.19 - [IMPA	CT Results	- 2014-20	17 Alaban	na Integrat	ted Crash	Data - FY2	2015-2017 AND 🗕 🗖 🗙
E E	ile <u>D</u> ashboard <u>F</u> ilters <u>A</u>	nalysis <u>I</u> mpac	t <u>L</u> ocations	<u>T</u> ools <u>W</u> ir	ndow <u>H</u> elp			_ & ×
<b>6</b>	2014-2017 Alabama Integrated Cr	ash Data	Ý	FY2015-2	017 AND DUI			✓ ♥ 1/ 1/2014 ∨ 10/16/2017 ∨ ●
Order	: Max Gain 🗸 Desce	ending v	Suppress	Zero-Valued R	ows	[	Significance: C	Over Representation V Threshold: 2.0
C008	: Time of Day	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain	▲ C001: County ▲ C002: City
•	12:00 Midnight to 12:59 AM	1038	5.66	4660	1.06	5.348*	843.902	C003: Year
	1:00 AM to 1:59 AM	1083	5.90	3726	0.85	6.978*	927.805	C004: Month C005: Day of Month
	2:00 AM to 2:59 AM	1027	5.60	3446	0.78	7.155*	883.468	C006: Day of the Week
	3:00 AM to 3:59 AM	763	4.16	3127	0.71	5.858*	632.754	C007: Week of the Year
	4:00 AM to 4:59 AM	574	3.13	3715	0.84	3.710*	419.263	C008: Time of Day
	5:00 AM to 5:59 AM	453	2.47	6601	1.50	1.648*	178.056	C009: Data Source
	6:00 AM to 6:59 AM	339	1.85	11079	2.51	0.735*	-122.462	C010: Rural or Urban C011: Highway Classifications
	7:00 AM to 7:59 AM	385	2.10	27907	6.33	0.331*	-777.380	C012: Controlled Access
	8:00 AM to 8:59 AM	300	1.63	19694	4.47	0.366*	-520.293	C013: E Highway Side
	9:00 AM to 9:59 AM	244	1.33	17481	3.97	0.335*	-484.117	C015: Primary Contributing Circumstan
	10:00 AM to 10:59 AM	304	1.66	19958	4.53	0.366*	-527.289	C016: Primary Contributing Unit Numbe C017: First Harmful Event
	11:00 AM to 11:59 AM	341	1.86	24190	5.49	0.338*	-666.560	C018: Location First Harmful Event Rel t
	12:00 Noon to 12:59 PM	434	2.37	29863	6.78	0.349*	-809.851	C019: E Most Harmful Event
	1:00 PM to 1:59 PM	470	2.56	29157	6.62	0.387*	-744.445	C020: E Distracted Driving Opinion
	2:00 PM to 2:59 PM	565	3.08	31901	7.24	0.425*	-763.738	C021: Distance to Fixed Object
	3:00 PM to 3:59 PM	763	4.16	40823	9.27	0.449*	-937.356	C022: E Type of Roadway Junction/Featu
	4:00 PM to 4:59 PM	891	4.86	38017	8.63	0.563*	-692.481	C023: E Manner of Crash C024: School Bus Related
	5:00 PM to 5:59 PM	1086	5.92	40790	9.26	0.639*	-612.982	C025: Crash Severity
	6:00 PM to 6:59 PM	1162	6.33	25843	5.87	1.080*	85.590	C026: Intersection Related
	7:00 PM to 7:59 PM	1199	6.53	17038	3.87	1.690*	489.335	C027: At Intersection
	8:00 PM to 8:59 PM	1340	7.30	14193	3.22	2.267*	748.834	C028: Mileposted Route C029: Lighting Conditions
	9:00 PM to 9:59 PM	1264	6.89	11669	2.65	2.601*	777.964	C030: Weather
	10:00 PM to 10:59 PM	1192	6.50	8648	1.96	3.309*	831.794	C031: Locale
	11:00 PM to 11:59 PM	1099	5.99	6305	1.43	4.185*	836.385	✓ Sort by Sum of Max Gain
0	) 🛯 🖉							Display Filter Name
				2014-2017 Alab	oama Integrated (	Crash Data		
				CO	08: Time of Day			
	10							
	_							
			-		-			
	anber 5		_					
	"	┝┫╸┓╴						
	0	4:00 AM to 4:59	AM 9.0	0 AM to 9:59	AM 2:00	) PM to 2:59 F	PM 7:00	PM to 7:59 PM Unknown
					C008: Time of			
1					Sooo. Time of	ouy		

		tab Results -				Data - Filter		nol — 🗆
<u>File D</u> ashb		<u>Analysis</u> <u>C</u> rosstal		ools <u>W</u> indow	Help		Se 1/ 1	/2011 y 12/31/201
	2011-2015 Alabam	na Integrated Crash Da	ita 🗸	DUI (Alcohol or Dru	gs)	¥	Sec. 1/ 1	/2011 0 12/31/201
ippress Zero Val	ues: None	✓ Select	Cells: 🔳 🔻 🌱				Column: Day of the	Neek ; Row: Time of D
	Sunday	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	TOTAL
00 Midnight to	544	119	155	175	211	232	472	1908
12:59 AM	8.97%	3.81%	4.79%	5.11%	5.47%	4.48%	6.09%	5.85%
00 AM to 1:59 AM	602	109	116	137	178	228	583	1953
	9.92%	3.49%	3.59%	4.00%	4.61%	4.40%	7.53%	5.98%
00 AM to 2:59 AM	629	108	99	125	169	227	570	1927
	10.37%	3.45%	3.06%	3.65%	4.38%	4.39%	7.36%	5.91%
00 AM to 3:59 AM	465 7.66%	77 2.46%	85 2.63%	75 2.19%	2.69%	163 3.15%	504 6.51%	1473 4.51%
0 AM to 4:59 AM 0 AM to 5:59	342	2.46%	2.63%	62	2.69%	3.15%	6.51% 377	4.51%
AM	342 5.64%	1.63%	47	1.81%	2.18%	2.07%	4.87%	3.28%
:00 AM to 5:59 AM :00 AM to 6:59	289	42	55	49	72	70	240	817
	4.76%	1.34%	1.70%	1.43%	1.87%	1.35%	3.10%	2.50%
	193	54	48	49	73	64	158	639
AM AM	3.18%	1.73%	1.48%	1.43%	1.89%	1.24%	2.04%	1.96%
00 AM to 7:59	125	67	90	73	64	79	129	627
AM	2.06%	2.14%	2.78%	2.13%	1.66%	1.53%	1.67%	1.92%
00 AM to 8:59	73	60	65	68	60	57	96	479
AM	1.20%	1.92%	2.01%	1.99%	1.55%	1.10%	1.24%	1.47%
00 AM to 9:59	70	56	51	50	49	73	84	433
AM	1.15%	1.79%	1.58%	1.46%	1.27%	1.41%	1.08%	1.33%
00 AM to 10:59	65	60	59	70	49	94	92	489
AM	1.07%	1.92%	1.82%	2.05%	1.27%	1.82%	1.19%	1.50%
00 AM to 11:59	84	83	69	74	93	85	118	606
AM	1.38%	2.65%	2.13%	2.16%	2.41%	1.64%	1.52%	1.86%
2:00 Noon to	91	86	82	96	116	102	134	707
12:59 PM	1.50%	2.75%	2.54%	2.81%	3.01%	1.97%	1.73%	2.17%
00 PM to 1:59	119	93	108	91	97	122	169	799
PM	1.96%	2.97%	3.34%	2.66%	2.51%	2.36%	2.18%	2.45%
00 PM to 2:59	130	135	131	138	138	167	179	1018
PM	2.14%	4.32%	4.05%	4.03%	3.58%	3.23%	2.31%	3.12%
00 PM to 3:59	156	172	178	178	193	213	246	1336
PM	2.57%	5.50%	5.51%	5.20%	5.00%	4.12%	3.18%	4.09%
00 PM to 4:59	226	188	199	201	222	261	275	1572
PM	3.73%	6.01%	6.16%	5.87%	5.75%	5.04%	3.55%	4.82%
00 PM to 5:59	244	245	245	267	253	310	370	1934
PM	4.02%	7.83%	7.58%	7.80%	6.55%	5.99%	4.78%	5.93%
00 PM to 6:59 PM	304	245	242	247	221	312	400	1971
	5.01%	7.83%	7.49%	7.22%	5.73%	6.03%	5.16%	6.04%
00 PM to 7:59 PM	288	211	210	220	281	336	438	1984
	4.75%	6.75%	6.50%	6.43%	7.28%	6.49%	5.65%	6.08%
00 PM to 8:59 PM	336	248	272	252	312	390	485	2295
	5.54%	7.93%	8.41%	7.36%	8.08%	7.53%	6.26%	7.03%
00 PM to 9:59 PM	270	238	236	271	322	486	525	2348
	4.45%	7.61%	7.30%	7.92%	8.34%	9.39%	6.78%	7.20%
00 PM to 10:59 PM	228 3.76%	213 6.81%	220 6.80%	244 7.13%	242 6 27%	459 8.87%	559 7.22%	2165
					6.27%			6.63%
00 PM to 11:59 PM	184 3.03%	161 5.15%	167 5.17%	208 6.08%	254 6.58%	532 10.28%	534	2040 6.25%
	3.03%	5.15%	5.17%	6.08%	6.58%	10.28%	6.89% 10	42
Unknown	0.16%	0.19%	4 0.12%	0.06%	0.08%	0.14%	0.13%	0.13%
	6067	3127	3233	3422	3860	5176	7747	32632
TOTAL	000/	3127	3233	3922	3000	0/10	//4/	32032


### Time of Day by Day of the Week

The Time of Day by Day of the Week cross-tabulation (given in the next section) shows the optimal times for selective enforcement, with one qualifier: Saturday night (before midnight). This is an excellent example to demonstrate how the color coding of CARE cross-tabulations can be misleading in some special cases. The red background indicates that the over-representation of the cell is greater than expected. The expected proportion for all cells in a given row is given at the extreme right in the total row percentage for that row. If there were absolutely no over-representations for the columns, then all of the proportions for that column cell would be identical to the one for the total. Notice for example, the 12 midnight to 12:59 AM row has a total percentage value of 5.85%. Those that are under this value have a neutral (white) background. Those that are higher, but not more than 10% of the proportion are yellow; and those above 10% of the proportion are red.

# **Factors Affecting Severity**

## **ID Crash Severity**

The following compares crash severities for ID (Subset, red bars) vs. Non-ID crashes (Other, blue bars).



The rate of fatal injury crashes and the two highest injury classifications are consistently higher in ID crashes than that of non-ID crashes. Fatality crashes have over seven times their expected proportion, while the two highest non-fatal injury classifications have over twice their expected values when compared with non-impaired driving crashes. The Speed-at-Impact variable, considered next, indicates one of the primary reasons for this.

						-	ed Crash E	)ata - FY2015	5-2017 ANI	
1 <u>F</u> i	le <u>D</u> ashboard 2014-2017 Alabama I			Locations		idow <u>H</u> elp		× 5	2 1/ 1/	2014 v 10/16/2017 v
		-		1			]			
	Max Gain	✓ Descer	-	Suppress	Zero-Valued Ro	WS		Significance: Over	Representation	✓ Threshold: 2.0
C224:	CU Estimated Spe	æd at Impact	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain	C224: CU Es	timated Speed at Impact
	31 to 35 MPH		777	6.73	15166	6.53	1.031	23.197		
	36 to 40 MPH		761	6.59	13634	5.87	1.123*	83.342		
	41 to 45 MPH		1601	13.87	20349	8.76	1.583*	589.583		
	46 to 50 MPH		882	7.64	10023	4.32	1.770*	383.822		
	51 to 55 MPH		1586	13.74	16104	6.93	1.981*	785.575		
	56 to 60 MPH		942	8.16	7100	3.06	2.669*	589.105		
	61 to 65 MPH		822	7.12	8283	3.57	1.997*	410.306		
	66 to 70 MPH		753	6.52	9410	4.05	1.610*	285.290		
	71 to 75 MPH		269	2.33	1801	0.78	3.005*	179.484		
	76 to 80 MPH		322	2.79	988	0.43	6.557*	272.893		
	81 to 85 MPH		133	1.15	315	0.14	8.495*	117.343		
	86 to 90 MPH		102	0.88	231	0.10	8.884*	90.518		
	91 to 95 MPH		27	0.23	49	0.02	11.086*	24.565		
	96 to 100 MPH		77	0.67	133	0.06	11.648*	70.389		
	Over 100 MPH		40	0.35	86	0.04	9.358*	35.725 ∨	Sort by Sum	of Max Gain
] ()	i 🐟 🖉									Display Filter Name
					2014-2017 Ala	bama Integrated (	Trash Data			
						stimated Speed a				
					012.0002					
	20	_								
	_									
			1							
	Ao 10						_			
					COR.					
	0									
			16 to 20 M	/IPH	41 to 4	IS MPH	66 to	5 70 MPH	91 to 9	5 MPH

## Speed at Impact

It should be noted that the speed limit on country roads is generally 45 MPH. All speeds above 40 MPH are dramatically over-represented, and the over-representation increases with the increase in impact speeds, from about 1.6 at 45 MPH to 11.6 at 100 MPH.

The next cross-tabulation quantifies how this relates to the severity of the crash for ID crashes.

# Severity by Impact Speed

The following display presents information on the effect of increased impact speed on the severity of the crash.

CARE 10.1.0	.19 - [Cros	sstab Results	- 2014-2017	Alabama Int	tegrated Cras	sh Data - Filte	er = FY2015-2	.0 — 🗖 🔜
<u>F</u> ile <u>D</u> ashboa	_	<u>A</u> nalysis <u>C</u> rossta	b <u>L</u> ocations <u>T</u>	ools <u>W</u> indow	<u>H</u> elp			- 8
2014-2017 Alab	ama Integrated (	Crash Data	~	FY2015-2017 AND	DUI	~	Sec. 1/ 1.	/2014 v 10/16/2017 v
uppress Zero Value	s: None	✓ Select	Cells: 🔳 🕶 %	9		Column: Crash Sev	erity ; Row: CU Estin	ated Speed at Impact
	Fatal Injury	Incapacitating Injury	Non- Incapacitating Inju	Possible Injury	Property Damage Only	Unknown	TOTAL	
0 MPH	1 0.16%	0 0.00%	0	0	4 0.04%	0 0.00%	5 0.03%	
1 to 5 MPH	3	16	29	25	319	2	394	
	0.48%	0.74%	0.94%	1.49% 34	3.08%	0.44%	2.15% 437	
6 to 10 MPH	0.65%	1.25%	1.04%	2.03%	3.21%	1.77%	2.38%	
1 to 15 MPH	4 0.65%	14 0.65%	36	34 2.03%	249 2.40%	3 0.66%	340 1.85%	
6 to 20 MPH	1	23	35	39	250	3	351	
	0.16%	1.06%	1.14%	2.33% 37	2.41% 307	0.66%	1.91% 430	
21 to 25 MPH	0.32%	1.71%	1.37%	2.21%	2.96%	1.11%	2.34%	
26 to 30 MPH	2 0.32%	41	57 1.85%	43 2.56%	343 3.31%	5 1.11%	491 2.68%	
1 to 35 MPH	7	65	105	80	510	10	777	
	1.13%	3.00%	3.42%	4.77%	4.93%	2.21%	4.24%	
36 to 40 MPH	0.81%	4.25%	4.36%	4.53%	4.29%	2.21%	4.15%	
11 to 45 MPH	29 4.68%	205 9.46%	281 9.14%	141 8.41%	924 8.92%	21 4.65%	1601 8.73%	
46 to 50 MPH	25	137	188	71	455	6	882	
	4.03% 65	6.32% 283	6.12% 362	4.23% 97	4.39%	1.33%	4.81% 1586	
51 to 55 MPH	10.48%	13.06%	11.78%	5.78%	7.36%	3.76%	8.65%	
56 to 60 MPH	40 6.45%	191 8.81%	220 7.16%	57 3.40%	418 4.04%	16 3.54%	942 5.13%	
61 to 65 MPH	52	186 8.58%	163 5.30%	51 3.04%	358	12	822 4.48%	
66 to 70 MPH	8.39% 47	132	144	43	3.46%	2.65%	753	
	7.58%	6.09%	4.68%	2.56%	3.59%	3.32%	4.10%	
71 to 75 MPH	34 5.48%	62 2.86%	49 1.59%	18 1.07%	104	2 0.44%	269 1.47%	
76 to 80 MPH	41 6.61%	71 3.28%	75 2.44%	18 1.07%	113 1.09%	4 0.88%	322 1.76%	
1 to 85 MPH	18	27	2.44 %	8	49	2	133	
	2.90%	1.25%	0.94%	0.48%	0.47%	0.44%	0.72%	
36 to 90 MPH	14 2.26%	25 1.15%	29 0.94%	6 0.36%	27 0.26%	0.22%	102 0.56%	
91 to 95 MPH	8 1.29%	6 0.28%	5 0.16%	1 0.06%	6 0.06%	1 0.22%	27 0.15%	
6 to 100 MPH	15	21	15	7	16	3	77	
	2.42% 13	0.97% 13	0.49%	0.42%	0.15%	0.66%	0.42%	
Iver 100 MPH	2.10%	0.60%	4 0.13%	0.06%	0.08%	0.22%	40	
E Stationary	3 0.48%	11 0.51%	14 0.46%	11 0.66%	49 0.47%	4 0.88%	92 0.50%	
Unknown	152	426	945	728	3715	269	6235	
	24.52%	19.66%	30.74% 41	43.41% 42	35.88% 209	59.51% 28	33.99% 343	
lot Applicable	0.32%	0.97%	1.33%	2.50%	2.02%	6.19%	1.87%	
CU is Not a Vehicle	33 5.32%	32 1.48%	31 1.01%	9 0.54%	4 0.04%	4 0.88%	113 0.62%	
U is Unknown	0	3	9	0	8	0	20	
	0.00%	0.14%	0.29%	0.00%	0.08%	0.00% 452	0.11% 18345	
TOTAL	3.38%	2167	3074 16.76%	9.14%	56.45%	2.46%	18345	

Notice the red in the fatality and severe injury cells as speeds increase. What is more enlightening is the probability that the crash results in a fatality as a function of impact speed. In the 41-45 MPH impact speed the probability is only a little over one in every 55 crashes. As impact speeds climb to the 51-55 MPH, this probability more than doubles to one in about 24 crashes. At 61-65 MPH it increases again (exponentially) to one in about every 16 crashes, and at 71-75 it is about one in eight, which is about double again. For above 90 MPH it is about one in 4 crashes.

The rule of thumb is that for every 10 MPH increase in speeds, the probability of the crash being fatal doubles. Conversely, a reduction in impact speeds by 10 MPH would cut the number of fatal crashes in half. This is the reason that selective enforcement is effective. However, there is another major factor in effect as well – the failure of ID drivers to be properly restrained, which will be covered in a separate attribute below (Restraint Use by Impaired Drivers).

It was found in a comparison of the first 9 months of 2017 vs. 2016 that there was a dramatic decrease in fatalities caused by ID. Further analyses determined the reason for this was the reduction in impact speeds. In FY2016, 54.3% of the impact speeds were 50 MPH or above; in FY2017 this number was reduced to 50.3%. This reduction in impact speeds for ID crashes is the major cause of the reduction in ID fatality crashes in FY2017 as shown in the next section.


### Severity of ID Crashes Comparing FY2016 vs FY2017

The following display shows the reduction in FY2017 (Other, blue bars) that occurred as compared to FY2016 (Subset, red bars). The reduction was from 226 to 188, which was a 16.8% reduction in ID fatal crashes. The proportions do not show as dramatic a decrease since the overall number of ID crashes also was also down significantly, from a total of 6304 crashes (all severities) to 5808, which was a 7.9% overall decrease. So both the overall crashes and the fatality crashes were reduced, but the reduction in the fatality crashes were obviously much greater than that of the overall crashes.

CA	ARE 10.1.0.19 - [IMPA	ACT Results	- 2014-20	17 Alaban	na Integrate	ed Crash [	Data - FY2(	016 And DL	Л (А — 🗖 🗙
🖡 E	<mark>ile <u>D</u>ashboard <u>F</u>ilters <u>/</u></mark>	<u>A</u> nalysis <u>I</u> mpac	t <u>L</u> ocations	<u>T</u> ools <u>W</u> in	idow <u>H</u> elp				_ @ ×
<b>6</b> 2	2014-2017 Alabama Integrated C	rash Data	~	FY2016 A	nd DUI (Alcohol or	r Drugs)	Ý	· 💡 🌆 1	/ 1/2014 🗸 10/16/2017 🗸 🎒
Order	r: Max Gain 🗸 Desc	ending v	Suppress	Zero-Valued Ro	ws	Sigr	nificance: Over	Representation	✓ Threshold: 2.0 ♀
C025	Crash Severity	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain	C025: Crash	Severity
•	Fatal Injury	226	3.59	188	3.24	1.108	21.945		
	Incapacitating Injury	745	11.82	675	11.62	1.017	12.355		
	Non-Incapacitating Injury	1136	18.02	914	15.74	1.145*	143.945		
	Possible Injury	549	8.71	583	10.04	0.868*	-83.788		
	Property Damage Only	3492	55.39	3305	56.90	0.973	-95.245		
	Unknown	156	2.47	143	2.46	1.005	0.788	Sort by Sum o	of Max Gain
	0 0 2		:		ma Integrated Cra Crash Severity	ash Data			Display Filter Name
	60 40 20 0	Fatal Injury	Incapacitating	Non-Incapacit			Property Damage Only	Unknown	

## **Restraint Use by Impaired Drivers**

The following display presents a comparison of ID driver safety belt use against those who were not ID in the same time period.



Risk-taking involved in ID does not stop with excess speed; it extends to not being properly restrained. The above analysis demonstrates that the impaired driver is close to nine (8.687) times more likely to be unrestrained as in the non-ID crash. The next analysis demonstrates how this contributes to fatality crashes.


CARE 10.1	.0.19 - [Cros	stab Results	- 2014-2017	Alabama Int	egrated Cras	h Data - Filte	r = FY2 –	×			
🚦 <u>F</u> ile <u>D</u> ashb	oard <u>F</u> ilters	<u>A</u> nalysis <u>C</u> rossta	b <u>L</u> ocations <u>T</u>	ools <u>W</u> indow	<u>H</u> elp			_ 8 ×			
2014-2017 A	labama Integrated (	Crash Data	~	FY2015-2017 AND I	DUI	~	💡 🦉 1/ 1.	/2014 v 10/16/2			
Suppress Zero Val	Suppress Zero Values: None 🗸 Select Cells: 🔹 🕱 🌱 Column: Crash Severity ; Row: CU Driver/Non-Motorist Safety Equipment 👰										
	Fatal Injury	Incapacitating Injury	Non- Incapacitating Inju	Possible Injury	Property Damage Only	Unknown	TOTAL	^			
None Used -	326	868	798	240	1136	53	3421				
Motor Vehicle Oc	52.67%	40.43%	25.99%	14.38%	11.03%	11.73%	18.74%				
Shoulder and Lap	177	933	1707	1082	6753	173	10825				
Belt Used	28.59%	43.46%	55.60%	64.83%	65.58%	38.27%	59.30%	×			

### Fatality Crashes by Restraint Use for Impaired Drivers

A comparison of the probability of a fatal crash indicates that a fatality is almost six (5.82) times more likely if the impaired driver is not using proper restraints. The probability is estimated by 326 fatality crashes out of 3,421 when restraints were not used (=1 in 10.5), as opposed to only 177 fatal crashes out of 10,825 crashes when restraints were used (1 in 61.2). So the combined effect of lower restraint use and higher speed is a devastating combination that accounts for the high lethality of ID crashes. But that is not all; see the following three items for additional related information.

### **Number Injured (Including Fatalities)**

The following display presents a comparison of ID crash number of injuries against number of injuries in crashes that were not ID in the same time period.



The above shows that not only are ID crashes more severe to those injured, but also the number of multiple injuries in these ID crashes is over-represented as well. Some might suspect that an ID crash might involve just a driver returning home from a night of indulgence. However, rarely is the impaired driver alone, and, of course, if another vehicle is involved, then that would also generally increase the number of injuries. It is interesting that all of the multiple-injury categories are over-represented.

## **Police Arrival Delay**

CARE 10.1.0.19 - [IMPAC				-	d Crash Da	ta - FY2015				
Eile Dashboard Eilters An		<u>L</u> ocations	<u>T</u> ools <u>W</u> inde FY2015-201				- A 72 1/ 1/2014 y 10/16/2017 y 1			
2014-2017 Alabama Integrated Cras	in Data	~	FT2015-201	7 AND DUI		• 3	17 17 2014 🔍 10/16/2017 🗸 1			
Order: Natural Order V Descen	iding 🗸 🗸	Suppress 2	Zero-Valued Row	5	Sig	nificance: Over F	Representation V Threshold: 2.0			
C034: Police Arrival Delay	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain	C025: Crash Severity / C026: Intersection Related			
▶ 0 to 5 minutes	5088	27.77	114406	26.01	1.068*	323.077	C027: At Intersection			
6 to 10 minutes	3356	18.32	111695	25.39	0.721*	-1296.012	C028: Mileposted Route			
11 to 15 minutes	1599	8.73	63940	14.54	0.600*	-1064.052	C029: Lighting Conditions C030: Weather			
16 to 20 minutes	1011	5.52	35796	8.14	0.678*	-479.876	C031: Locale			
21 to 30 minutes	1487	8.12	37957	8.63	0.941*	-93.880	C032: E Police Present at Time of Crash			
31 to 45 minutes	1848	10.09	30561	6.95	1.452*	575.158	C033: Police Notification Delay			
46 to 60 minutes	1326	7.24	16868	3.83	1.887*	623.461	C034: Police Arrival Delay C035: EMS Arrival Delay			
61 to 90 minutes	1340	7.31	15080	3.43	2.134*	711.930	C035: EMS Arrival Delay			
91 to 120 minutes	505	2.76	4944	1.12	2.452*	299.086	C037: Non-Vehicular Property Damage			
121 to 180 minutes	304	1.66	3198	0.73	2.282*	170.806	C040: Agency ORI			
Over 180 minutes	422	2.30	4694	1.07	2.159*	226.498	C042: Highway Patrol Troops C043: Highway Patrol Posts			
Unknown	34	0.19	725	0.16	1.126	3.804	Sort by Sum of Max Gain			
1 🕼 🗇 🖉							Display Filter Name			
		:	2014-2017 Alabar	ma Integrated Cra	sh Data					
			C034: Po	lice Arrival Delay						
40										
8										
20-										
E L										
				_						
0 - 6 to	10 minutes	16 to 20 minut	es 31 to 4	5 minutes	61 to 90 minutes	121 to 180	minutes Unknown			
6 to 10 minutes 16 to 20 minutes 31 to 45 minutes 61 to 90 minutes 121 to 180 minutes Unknown C034: Police Arrival Delay										

ID crashes generally had longer police arrival delays; in this case all arrival delays over 30 minutes were over-represented. There can be little doubt that this has to do with the rural nature of these crashes and the potential that at night they would not be discovered for some time. The analysis below shows how this impacts EMS arrival time, which is a comparison of crashes that include injuries, and thus would generally call for an EMS response.

## **EMS Arrival Delay**

	RE 10.1.0.19 - [IMPA				-	d Crash Da	ta - FY201	5-2017 AN	d d 🗕 🗖	×
E E	ile <u>D</u> ashboard <u>F</u> ilters <u>A</u>		_		ow <u>H</u> elp					∂×
<u> </u>	2014-2017 Alabama Integrated Cr	ash Data	¥	FY2015-201	7 AND DUI		¥ 🖇	1/ 1	/2014 y 10/16/2017 y	) 🔍
Order	: Max Gain 🗸 Desce	ending v	Suppress	Zero-Valued Row	'S	Sig	nificance: Over	Representation	✓ Threshold: 2.0	-
C036	Adjusted EMS Arrival Delay	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain	C036: Adjuste	ed EMS Arrival Delay	
•	0 to 5 minutes	1864	20.70	27568	27.23	0.760*	-587.923			
	6 to 10 minutes	2583	28.68	32986	32.58	0.880*	-350.805			
	11 to 15 minutes	1774	19.70	17931	17.71	1.112*	179.201			
	16 to 20 minutes	1064	11.82	9563	9.45	1.251*	213.458			
	21 to 30 minutes	983	10.92	8404	8.30	1.315*	235.541			
	31 to 45 minutes	433	4.81	3205	3.17	1.519*	147.944			
	46 to 60 minutes	130	1.44	865	0.85	1.690*	53.066			
	61 to 90 minutes	101	1.12	465	0.46	2.442*	59.642			
	91 to 120 minutes	29	0.32	99	0.10	3.294*	20.195			
	121 to 180 minutes	19	0.21	86	0.08	2.484	11.351			
	Over 180 minutes	25	0.28	75	0.07	3.748*	18.329	Sort by Sum	of Max Gain	
	· · · ·				ma Integrated Cra ted EMS Arrival D					
	40 20 20									
	<b>u</b>	to 10 minutes	16 to 20 m		l 1 to 45 minutes justed EMS Arriva		l minutes 1:	l 21 to 180 minut	es	

For much the same reasons as the longer police arrival delays, EMS delays were over-represented for impaired driving crashes in all categories above ten minutes, and dramatically for the very longer times of 61 minutes and above (indicated by the red background in the table). This obviously contributes to the severity of crashes and the chances that the crash results in one or more fatalities. As for the very long times, these might be due to the delay in discovering the crash since they generally over-represented late night in rural locations.

# **Driver and Vehicle Demographics**

## **Driver Age**


The following display presents a comparison of ID crash causal driver age against the same for crashes that were not ID in the same time period.

CA	RE 10.1.0.19 - [IMPA	CT Results	- 2014-20	17 Alaban	na Integrat	ed Crash [	Data - FY20	15-2017 AN	ID D – 🗖	x
🖳 Ei	le <u>D</u> ashboard <u>F</u> ilters <u>A</u>	nalysis <u>I</u> mpact	<u>L</u> ocations	<u>T</u> ools <u>W</u> ir	ndow <u>H</u> elp					- 8 ×
<b>6</b>	2014-2017 Alabama Integrated Cr	ash Data	~	FY2015-2	017 AND DUI		~	P 1/ 1	1/2014 v 10/16/2017	- v ) 🍏
Order	Max Gain 🗸 Desce	ending v	Suppress	s Zero-Valued Ro	ows		Significance: Ov	er Representation	✓ Threshold: 2	2.0 🜲
C107:	CU Driver Raw Age	Subset Frequency	Subset Percent	Other Frequency	Other Percent	Odds Ratio	Max Gain (	C107: CU Dr	river Raw Age	
•	44	300	1.71	5103	1.32	1.300*	69.246			
	45	328	1.87	5198	1.34	1.395*	92.950			
	46	280	1.60	4955	1.28	1.250*	55.939			
	47	283	1.61	4729	1.22	1.323*	69.158			
	48	285	1.62	4453	1.15	1.415*	83.639			
	49	310	1.77	4500	1.16	1.523*	106.513			
	50	281	1.60	4580	1.18	1.357*	73.896			
	51	301	1.72	4697	1.21	1.417*	88.605			
	52	280	1.60	4754	1.23	1.302*	65.028			
	53	304	1.73	4683	1.21	1.436*	92.238			
	54	289	1.65	4650	1.20	1.374*	78.731			
	55	265	1.51	4458	1.15	1.315*	63.413			
	56	224	1.28	4524	1.17	1.095	19.428			
	57	200	1.14	4503	1.16	0.982	-3.622			
	58	190	1.08	4269	1.10	0.984	-3.041			
	59	188	1.07	4196	1.08	0.991	-1.740			
	60	181	1.03	3954	1.02	1.012	2.203	Sort by Sum	of Max Gain	
00	1 🞯 🖉								Display Filter 1	Name
				2014-2017 Ala	bama Integrated (	Crash Data				
				C107:	CU Driver Raw A	ge				
	1.1.1.1.	lilla a c								
				lattada IIIII	uhtt			litte		
			35			55		75		
				(	C107: CU Driver I	Raw Age				

The blue (non-ID) bars illustrate the problems that 16-20 year old drivers have in general. On the bright side, these issues are not generally caused by ID up until ages 19 and 20, and even at

these ages they are under-represented. The first age with a significant over-representation starts at age 24 and continues on to age 55. It is clear that the legal drinking age is having a very positive effect on keeping the numbers down for the 16-20 year old drivers, and any attempt to decrease this legal age should be fought strenuously by the traffic safety professionals despite evidence to the contrary presented by other disciplines.

There is a bi-modal distribution in the 21-55 year olds; 21 through about 35, and a second group from 36 to 54. Generally the first of these might be classified as social drinkers. However, it is hard to escape the fact that those who are in their late 30s up through their middle ages would not be largely problem drinkers. Countermeasures for these two groups will typically be quite different.




#### **Impaired Driver Gender**

The red bars and the blue bars each sum to 100%. So the breakdown in male IS causal drivers is 74.84% male and 25.16% female. For non-ID, the percentage is 55.03 male and 44.97 female. These differences certainly indicate that males are a far greater issue, and if there are countermeasures that can be directed toward them, doing so would be much more cost-effective, all other things being equal.


#### **Causal Vehicle Types with 30 or more Crashes**

The following display presents a comparison of ID crash causal unit type against the same for crashes that were not ID in the same time period.



Vehicles types with less than 30 crashes in the ID dataset were removed for the above display, and pedestrians were considered a unit type. While pickups have the highest MaxGain indicting the greatest potential for reduction, Motorcycles, Pedestrian and ATVs all have higher over-representations but their MaxGain is lower because of their lower frequencies. Of interest is the


proportion of pedestrians and off road 4-wheelers that involve ID, both of which are over two times their expected proportion. So the major finding of this analysis is that motorcycle, pedestrian and 4-wheeler crashes have far more than their share of ID causation.



#### **Driver License Status**

Clearly ID crashes are so over-represented in ID causal drivers without legitimate licenses that the question might be asked: Does suspending or revoking their licenses even make a difference? Some states have gone so far as to make it a mandatory arrest if a driver is found to not have a current license. The results of this analysis need to be given serious consideration by those determining the direction of the legislative process regarding ID. It seems clear that the suspension/revocation of licenses is not bringing about the desired effect.

## **Driver Employment Status**



In our current era when the economy is playing such a big role in traffic safety, the quantification and tracking of the employment proportion of drivers involved in ID crashes will be important. This indicates that their unemployment rate is about 90.7% higher than expected. This is probably not unexpected, and the correlation between not having a job and being involved in an ID crash should be watched carefully going forward in that it could affect the type and location for countermeasures.

# **Summary of Findings**

The following summarizes the findings of the problem identification analyses given above:

#### • General Comparison of FY2017 against FY2015-2016

- Overall crash frequencies got FY2017 were about 5000 crashes higher than the average of FY2015-2016. Total crashes in FT2017 were only about 1560 fewer than in FY2016. Thus, there is nothing in the overall crash picture that would suggest that FY2017 should not be comparable to FY2015-2016, or even to FY2016 alone.
- In a comparison of the fiscal years, overall fatal crashes were up by 22.8% in FY2016 over FY2015, and this only came down by 2.1% in FY2017.
- A similar a comparison of the fiscal years of ID fatal crashes showed an increase of 9.2% in FY2016 over FY2015, and this only came down by 1.7% in FY2017.
- On the other hand, there was a remarkable decrease in the proportion of fatal crashes caused by ID to the overall number of fatal crashes for each year. Over the three fiscal year periods (FY2015-2017), the proportions were 27.0%, 24.0% and 20.4%, a significant overall reduction of reported ID fatal crashes of 6.6%. The reason for this was given intensive analysis in the Factors Affecting Severity Section.

#### • Geographical Factors

- County Generally, the over-represented counties are those with combined large population centers and large rural areas, as opposed to the highly urbanized counties or the extremely rural counties. One reason that the highly urbanized counties are under-represented is the large number of low severity crashes that occur there separate and apart from ID crashes. See the rural-urban comparison below.
- Rural Areas with the Greatest Increases in FY2017 several virtual cities (rural areas of counties) were found to have over twice the proportion of ID crashes compared to their proportions in FY2015-2016. Placed in Max Gain order, the ones with the highest potential for reduction were (all rural areas of the following counties): Cullman, Blount, Houston, Coffee, Colbert, and Pike.
- City Comparisons of ID crashes by Total ID Crash Frequency. There is little surprise in this output, which tracks the areas by population. Traffic safety professionals should look for any locations that fall counter to this trend.
- City (and area) Comparisons within Crash Frequency Ranges analyses were performed for those areas that had 100-200 ID crashes as well as those that had 60-100 ID crashes. There are presented separately to present fair comparisons among the various areas.
- Overall Area Comparisons Conclusions –Generally those rural areas that are adjacent to (or contain) significant urbanized areas are over-represented, since their urban areas generate more traffic even in the rural areas. Possible factors for relatively fewer severe ID crashes within urban areas include:

- Less need for motor vehicle travel and shorter distances to the drinking establishments;
- Larger police presence in the metropolitan areas; and
- Lower speeds in urban areas.
- The city, county, and area comparisons are, of necessity, a selection of the total outputs that could be generated. They are given to illustrate the capabilities as much as to present the numerical results. Anyone wishing additional studies or outputs, please contact CAPS see e-mail address above.
- Severity of Crash by Rural-Urban While only about 42% of crashes occur in rural areas, nearly 67% of the fatal crashes occur there. Similar results are found for the highest severity non-fatal crashes. This is obviously the result of higher impact speeds in the rural areas. Note that additional causes of increased severity are given in the Factors Affecting Severity Section.
- Rural or Urban ID Crash Frequency Not only are impaired driving crashes more severe in rural areas, but their frequency is about the same as in the urban areas, despite the much lower population and traffic volumes (about 42% rural as compared to about 58% urban). While only 22.44% of the crashes are expected in the rural areas, the proportion of crashes in the rural areas is over 42.14%, or very close to double its expected value (Odds Ratio = 1.965).
- Highway Classifications County roads had well over twice their expected proportion of crashes, while all other roadway classifications were under-represented. County road characteristics no doubt contribute to the crash frequency. County roads are also known to be less "crashworthy" (i.e., they result in more severe crashes at comparable impact speeds).
- Locale Reflecting the rural over-representation, open country and residential roadways show a high level of over-representation as compared with the more urbanized area types, especially Shopping or Business, which only has about half of its expected proportion.

#### • Time Factors

- Year a discussion of the overall crash, fatal crash and ID fatal crash frequencies by year were given in the section above entitled ID Update for FY2017 that appears right after the Introduction. The display in the Year attribute section presents and discusses the three fiscal years according to their calendar year occurrences.
- Month The only significant over-representations by month were in February and March, indicating that the number of ID crashes correlated well with the other crashes during the rest of the months. None of the months were significantly under-represented.
- Day of the Week This analysis is not only useful for the typical work week, but it also reflects the typical "holiday weekend" patterns. The days can be classified as follows:

- Typical work weekday (Monday through Thursday) these days are under-represented in ID crashes due to the need for many to go to work the following day.
- Friday this pattern is also reflected in the day before a weekend (or holiday), i.e., before a day off. The high ID frequency on this day is due to those who are getting an early start to the weekend, recognizing that they have no work responsibilities the following day.
- Saturday the "Saturday" pattern is the worse for ID crashes in that it has both an early morning component (like Sunday) and a late night component (like Friday). So, it could be viewed as a combination of the typical Friday and Sunday, almost doubling the problem of the other weekend days (Friday and Sunday).
- Sunday since this is the last day of a holiday sequence or weekend, its over-representation comes strictly from those who start on Saturday night and do not complete their use of alcohol/drugs until after midnight.
- "Holiday Weekends" these can be viewed as a sequence of the weekend-pattern sequence. For example, the Wednesday before Thanksgiving would follow the Friday pattern assuming that most are at work on Wednesday. The Thursday, Friday and Saturday would follow the Saturday pattern, and the Sunday at the end of the weekend would follow the typical Sunday pattern. This is the reason that long holiday events (i.e., several days off) can be much more prone to ID crashes than the typical weekend. Three-day weekends typically give Monday off, so that Monday would behave like the typical Sunday, and both the Saturday and Sunday would follow the Saturday pattern.
- Time of Day The extent to which night-time hours are over-represented is quite striking. Optimal times for ID enforcement would start immediately following any rush hour details, and would continue through at least 3 AM.
- Time of Day by Day of the Week This quantifies the extent of the crash concentrations on Friday nights, Saturday mornings and Saturday nights and early Sunday mornings. This is a very useful summary for deploying selective enforcement details.

#### • Factors Affecting Severity

- ID Crash Severity -- The rate of injuries and fatalities are consistently higher in ID crashes than that of non-ID crashes. Fatality crashes are over seven times their expected proportion, while the two highest non-fatal injury classifications have over twice their expected values when compared with non-impaired driving crashes The odds ratio is over three (3.204) for the highest non-fatal classification, Incapacitation Injury. The other variables analyzed in this section give the reasons for this disparity.
- Speed at Impact All impact speeds above 45 MPH are dramatically over-represented. See the next attribute.

- Severity by Impact Speed –Past analyses have found the general rule of thumb that for every 10 MPH increase in speeds, the probability of the crash being fatal doubles. This was validated in the discussion of the cross-tabulation.
- Severity Comparison FY2017 vs FY2016 There was a reduction from 226 in FY2016 to 188 in FY2017, which was a 16.8% reduction in ID fatal crashes. Both the overall crashes and the fatality crashes were reduced, but the reduction in the fatality crashes were obviously much greater than that of the overall crashes.
- Restraint Use by Impaired Drivers The impaired drivers are close to 9 times more likely to be unrestrained than the non-ID causal drivers. Clearly ID drivers lose a good part of their concept of risk when they are willing to drive while being impaired.
- Fatality Crashes by Restraint Use for Impaired Drivers A comparison of the probability of a fatal crash indicates that a fatality is almost six (5.82) times more likely if the impaired driver is not using proper restraints. With restraints, one in 61 ID crashes are fatal; but without restraints, the fatal crash ratio is 1 in about 11. So the combined effect of lower restraint use and higher speed is a devastating combination that accounts for much of the high lethality of ID crashes.
- Number Injured (Including Fatalities) Not only are ID crashes generally more severe to the driver, but the number of multiple injuries in these ID crashes is over-represented as well. This might have something to do with the preference of those going out to socialize to take some of their friends with them.
- Police Arrival Delay ID crashes generally had longer police arrival delays; in this case all arrival delays over 31 minutes were over-represented. There can be little doubt that this has to do with the rural nature of these crashes and the potential that the late night occurrence might not be discovered for some time.
- EMS Arrival Delay Higher EMS delays were over-represented for impaired driving injury crashes in all categories above ten minutes, and dramatically for the very longer times of 46 to 60 minutes and above. This obviously contributes to the severity of crashes and the chances that the crash results in one or more fatalities. As for the very long times, these might be due to the delay in discovering the crash as much as their generally over-represented rural locations.

#### • Driver and Vehicle Demographics

- Driver Age Younger (16-20 year old) drivers have a very serious problem in crash causation even in the absence of impairment. However, these crashes are not generally caused by ID up until ages 19 and 20, and even at these ages they are under-represented. At 23, the first age over-representation takes place and continues on to age 55. There is a bi-modal distribution in the 21-54 year olds; 21 through about 35, and a second group from 36 to 55. Generally, the first of these might be classified as largely social drinkers; while it is inescapable that the middle aged caused ID crashes would be largely problem drinkers.
- Impaired Driver Gender Males are a far greater issue in ID crashes, and if there are countermeasures that can be directed toward them, doing so would be much

more cost-effective than those that are not gender based, all other things being equal.

- Causal Vehicle Type Pick-ups, which up had a significant over-representation and came out at the top of the Max Gain order because of their large number of ID involvements. Motorcycles were also highly over-represented. Also of interest is the proportion of pedestrians that involve ID, which is close to three times their expected number. ATVs had the highest over-representation (Odds Ratio = 4.580), perhaps because drivers do not believe that the ID laws apply to them as long as they are not on the public highways.
- Driver License Status ID crashes are very highly over-represented in causal drivers without legitimate licenses challenging the effectiveness of license suspension and revocations as a traffic safety countermeasure, at least after the fact. There is no way to estimate its deterrent value.
- Driver Employment Status –ID driver unemployment rate at 37.38% is about 90% higher than expected. This factor will be watched carefully going forward.

For general information on Impaired Driving from NHTSA and other sources, please see: <u>http://www.safehomealabama.gov/tag/impaired-driving/</u>